

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION


PATENT NO. : 7,229,547 B2
APPLICATION NO. : 10/767871
DATED : June 12, 2007
INVENTOR(S) : Merrell et al.

Page 1 of 5

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Drawings

Sheet 2, replace Fig. 2 with the figure depicted herein below, wherein "33" has been changed to --33B-- and wherein the reference --226-- for the auger has been added



UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION


PATENT NO. : 7,229,547 B2
APPLICATION NO. : 10/767871
DATED : June 12, 2007
INVENTOR(S) : Merrell et al.

Page 2 of 5

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Drawings

Sheet 4, replace Fig. 6 with the figure depicted herein below, wherein "154" has been changed to --155--



UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,229,547 B2
APPLICATION NO. : 10/767871
DATED : June 12, 2007
INVENTOR(S) : Merrell et al.

Page 3 of 5

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Drawings

Sheet 7, replace Fig. 8 with the figure depicted herein below, wherein the reference "125" has been changed to --123-- and the reference "123" has been changed to --125--




Fig. 8

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,229,547 B2
APPLICATION NO. : 10/767871
DATED : June 12, 2007
INVENTOR(S) : Merrell et al.

Page 4 of 5

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 8

Line 12, change "configuration" to --configurations--
Line 19, change "feed" to --fed--

Column 10

Line 26, after "partition wall" change "109" to --118--
Line 67, before "120" change "channel" to --chamber--

Column 13

Line 2, change "123" to --125--
Line 17, change "123" to --125--
Line 24, change "134" to --143--
Line 34, change "123" to --125--
Line 36, change "123" to --125--
Line 54, change "123" to --125--

Column 16

Line 25, change "181" to --177--
Line 59, change "75" to --75°--

Column 18

Line 3, change "FIG. 4" to --FIG. 14--
Line 28, change "filed" to --filled--

Column 20

Lines 13-14, change "removed the feed material." to --removed.--

Column 22

Line 29, change "retort 33" to --retort 32--

Column 23

Line 11, after "system", change "12" to --10--

Column 25

Line 32, after "system", change "12" to --10--
Line 35, change "12" to --10--

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,229,547 B2
APPLICATION NO. : 10/767871
DATED : June 12, 2007
INVENTOR(S) : Merrell et al.

Page 5 of 5


It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 29

Line 1, change "tho" to --the--

This certificate supersedes the Certificates of Correction issued September 18, 2007 and October 9, 2007.

Signed and Sealed this
Seventh Day of April, 2009

A handwritten signature in black ink that reads "John Doll". The signature is written in a cursive style with a large, stylized "J" and "D".

JOHN DOLL
Acting Director of the United States Patent and Trademark Office